

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1627	(network near topology).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 14:38
S2	273	S1 and "370"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:11
S3	59	"370"/.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:02
S4	835	370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:29
S5	28	S4 and (address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:29
S6	0	370/254.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:02
S7	30	370/254.ccls. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:03

S8	24	(US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6516345-\$ or US-6625124-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/19 20:00
S9	8	S8 and (address near translation)	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:18
S10	5	S8 and (address near translation) and (server)	US-PGPUB; USPAT	OR	OFF	2005/05/19 20:20
S11	674	(network near configuration).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 14:39
S12	0	S11 and 370/254.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 14:39
S13	16	S11 and 370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:00
S14	0	370/254.ccls and (passive near active near clients).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:01
S15	0	370/254.ccls and (passive near active).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:01

S16	0	370/254.ccls and (passive near active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:01
S17	0	370/254.ccls and (mask\$3 near IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:01
S18	0	370/254.ccls and (network near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:01
S19	0	370/254.ccls and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:02
S20	810	370/254.ccls. and (network "adj." address "adj." translat\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:19
S21	673	S20 and (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:25
S22	0	S21 and (active near passive near client\$2)	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:20
S23	90	"6345294" or "6052718"	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:26
S24	2	("6345294" or "6052718").pn.	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:31
S25	234	2001/0039585 or "6571288" or "6134588" or "6078960" or "6539426" or "5870562" or "6035055" or "6041041" or "6081840" or "6185598" or "6304913" or "6338092" or "6505254" or "6581065" or 2002/0065938 or (2002/0186694 or 2003/0041094 or "6553413" or "6553420" or "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:34

S26	16	(2001/0039585, "6571288", "6134588", "6078960", "6539426", "5870562", "6035055", "6041041", "6081840", "6185598", "6304913", "6338092", "6505254", "6581065", 2002/0065938, 2002/0186694, 2003/0041094, "6553413", "6553420", "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2005/05/23 15:36
S27	29	"370"/.clas. and "709"/.clas. and (group\$4 near (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:48
S28	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:14
S29	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:17
S30	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 15:13
S31	4	(address near translation) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 15:14
S32	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:14
S33	4	(NAT) with (partition)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:18
S34	4219	(network same address same translation)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:28
S35	23	S34 same partition	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:18
S36	583	S34 same (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:29
S37	4	S36 same (partition)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:28
S38	426	S36 and ("370"/\$.ccls. or "709"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:32
S39	134	S38 and (server or device) same NAT	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:32

S40	20	S39 and (partition or divide)	US-PGPUB; USPAT	OR	OFF	2005/06/18 16:32
S41	5432	709/203.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/18 16:32
S42	1695	S41 and (network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2005/06/18 16:33
S43	1118	S41 and (network same (topology or configuration) same server)	US-PGPUB; USPAT	OR	OFF	2005/06/18 16:33
S44	1332	S41 and (network same (topology or configuration) same server same partition\$4 or divid\$4)	US-PGPUB; USPAT	OR	OFF	2005/06/18 16:34
S45	28	S41 and (network same (topology or configuration) same server same (partition\$4 or divid\$4) same (network "adj." address "adj." translation))	US-PGPUB; USPAT	OR	OFF	2005/06/20 15:36
S46	1325	711/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:38
S47	3	S46 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:40
S48	0	S46 same (NAT same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:39
S49	799	S46 and (partition\$4 or divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:40
S50	587	S49 and (topology or configuration or arrange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:41

S51	1	S50 and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:42
S52	13	("4843541" "5862357" "5898883" "5923847" "5940870" "6088770" "6295584" "6334177").PN. OR ("6510496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 15:46
S53	595	370/254.ccls. and (address "adj." translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:28
S54	125	370/254.ccls. and (address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:28
S55	30	(US-20010028654-\$ or US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$ or US-20030126202-\$ or US-20050013255-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5940870-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6510496-\$ or US-6516345-\$ or US-6625124-\$ or US-6633560-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/27 12:49
S56	7	S55 and (network same address same translats\$4)	USPAT	OR	OFF	2005/09/27 13:29
S57	1	"6650641".pn.	USPAT	OR	OFF	2005/09/27 13:29

S58	17	("5774660" "5951694" "6006264" "6038233" "6128642" "6128657" "6137777" "6185619" "6243379" "6249801" "6263368" "6327622" "6330602" "6389462").PN. OR ("6650641").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/28 13:57
S59	1	S58 and (NAT same server same (topology or configuration))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/28 13:58
S60	3	(NAT same server same (topology or configuration) same partition\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/28 13:59
S61	912	370/254.ccls. and (network "adj." address "adj." translat\$4)	US-PGPUB; USPAT	OR	OFF	2005/09/29 12:18
S62	5	(network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:21
S63	0	370/254.ccls. and (network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:22
S64	0	370/254.ccls. and ((topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:22
S65	10	370/254.ccls. and ((topology or configuration) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:22
S66	1721	370/392.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:58
S67	1	S66 and (NAT same server same (partition or divide))	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:59
S68	90	S66 and (NAT)	US-PGPUB; USPAT	OR	OFF	2005/09/29 16:03
S69	12	S66 and (NAT same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2005/09/29 16:03